


LED-TECH.DE
OPTOELECTRONICS



LED-TECH.DE LED Flexstripes

LED Flexstripe SMD Ultrabright (50cm) (red / green / blue)



Part Number: LT-1140

Viewing Angle: 120°

Emitting Color: red / green / blue

V typ.: 12 V

High quality LED stripe with common anode

New high flexible LED stripe with very well selected PLCC2 SMD LEDs. The LEDs main advantages are low power consumption and long lifetime.

Usage: The LED flexstripe are perfect for applications like

- Event lighting
- Room lighting
- In-Mood applications
- Architectural lighting
- Savety lighting
- and much more

Technic: The flexstripe uses the common anode standart which allows you to control these stripes with out MultiLine products for example..

Cost effective: This LED stripes fit exactly into your application because itthey can be shortened every 5cm (3 LEs). The soldering pads are replicated on every 5cm piece, too.

Flexibility: The high quality 3M adhesive tape gives the stripes enough hold on any surface. The minimum bounding diameter of 2cm provides a wide range of possible mountings.

Technical data:

- Length: 50cm
- Width: 1,2cm
- Height: 0,2cm
- LEDs: 30x
- LED housing: PLCC2
- Forward current R+G+B: ~0,3A
- Min. bounding diameter: 2cm
- Shortening: every 5cm (3 LEDs)
- Soldering pads on every part
- Mounting: 3M adhesive tape



Imprint



LED-TECH.DE optoelectronics Showroom

Director: Stefan Lenz

Am Schürmannshütt 38B

D-47441 Moers

Phone: (+49) 2841 / 97 91 7-0

Fax: (+49) 2841 / 97 91 7-29

Further we want to point at pictures, graphics and descriptions as well as the pagelayout itself which are all subject to copyright. Every offence will be prosecuted.

All mentioned prices are to be understood as gross prices including the value added tax (TAV). All offers are subject to prior sales and without commitment. Delivery times are to be understood from date of receipt of order. Mistakes and changes in prices are always reserved.

