



# LED-TECH.DE

OPTOELECTRONICS



**LED-TECH.DE LED Profile Mini CoverLine**

## Mini CoverLine Aluminium LED Profile



Part Number: LT-1701

Housing Color: alu-silver

Massive aluminium for best cooling!


High quality anodized aluminium LED profile with transparent PMMA cover for all common LED PCBs with a maximum width up to 14mm. The concept is as easy as simple: The PCB get sticked or glued (recommended) into the profile and the PMMA cover sticked onto it. It is very easy to handle.

Please note that we sell the Mini CoverLine profiles in two versions: One with transparent cover (LT-1701) and one with opal white (diffused) cover (LT-1702).

Mounting this part is very easy too because there are many different possibilities to do that. It can be screwed, glued or mounted by using the bottom side notch. Please have a look at the picture galerie on the left, too.

- Profile material: Aluminium (anodized)
- Profile length: 1000mm
- Profile height: 10,3mm
- Profile width: 16,7mm
  
- Inlay material: Transparent PMMA plastic
- Inlay length: 1000mm
- Inlay height: 7,5mm
- Inlay width: 14,5mm
  
- Top hat rail width: 5.5/3.0mm
- Delivery: 1m profile, 1m cover
- Weight/m: ~250g

Delievery in other lengths also possible on request.



## Mini CoverLine Aluminium LED Profile



Part Number: LT-1702

Housing Color: alu-silver

Massive aluminium for best cooling!



High quality anodized aluminium LED profile with opal white PMMA cover for all common LED PCBs with a maximum width up to 14mm. The concept is as easy as simple: The PCB get sticked or glued (recommended) into the profile and the PMMA cover sticked onto it. It is very easy to handle.

Please note that we sell the Mini CoverLine profiles in two versions: One with transparent cover (LT-1701) and one with opal white (diffused) cover (LT-1702).

Mounting this part is very easy too because there are many different possibilities to do that. It can be screwed, glued or mounted by using the bottom side notch. Please have a look at the picture galerie on the left, too.

- Profile material: Aluminium (anodized)
- Profile length: 1000mm
- Profile height: 10,3mm
- Profile width: 16,7mm
- Inlay material: Transparent PMMA plastic
- Inlay length: 1000mm
- Inlay height: 7,5mm
- Inlay width: 14,5mm
- Top hat rail width: 5.5/3.0mm
- Delivery: 1m profile, 1m cover
- Weight/m: ~250g

Delievery in other lengths also possible on request.



# Imprint



LED-TECH.DE optoelectronics Showroom

Director: Stefan Lenz

Am Schürmannshütt 38B

D-47441 Moers

Phone: (+49) 2841 / 97 91 7-0

Fax: (+49) 2841 / 97 91 7-29

Further we want to point at pictures, graphics and descriptions as well as the pagelayout itself which are all subject to copyright. Every offence will be prosecuted.

All mentioned prices are to be understood as gross prices including the value added tax (TAV). All offers are subject to prior sales and without commitment. Delivery times are to be understood from date of receipt of order. Mistakes and changes in prices are always reserved.



